


## carrier comfort 92 gas furnace manual



**File Name:** carrier comfort 92 gas furnace manual.pdf  
**Size:** 4062 KB  
**Type:** PDF, ePub, eBook  
**Category:** Book  
**Uploaded:** 14 May 2019, 13:35 PM  
**Rating:** 4.6/5 from 704 votes.

**Status:** AVAILABLE

Last checked: 10 Minutes ago!

**In order to read or download carrier comfort 92 gas furnace manual ebook, you need to create a FREE account.**

[\*\*Download Now!\*\*](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

### Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with carrier comfort 92 gas furnace manual . To get started finding carrier comfort 92 gas furnace manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



## Book Descriptions:

# carrier comfort 92 gas furnace manual

Select Product Category Just enter the model number below, and we'll give you a list of links to all the documents associated with it. Rather than have you commit them all to memory, we made our model numbers easy to find. If you don't happen to have them handy, you'll also find the model number printed right on the unit. If your heat pump is geothermal, the model information should be easily found on the front of the unit. You should see the model number printed on ratingplate or decal. Still unable to find that model number. Just call your local Carrier Expert. He or she will be happy to help you. Make sure the temperature is set cooler than the current indoor temperature. If it is not running, make sure the breakers in your home's breaker box or electrical panel are in the ON position. Make sure it's in the ON position. If the system is set for cooling, the blower motor should be running. If not, check to make sure your indoor unit switch is in the ON position. If you have oneinchthick furnace filters, a onceamonth change is recommended. If you don't change it, the filter will eventually block the proper airflow and cause your outdoor air conditioner unit to shut down. Return air grilles are larger and are located on a wall or the ceiling in newer homes. Older homes frequently have return air grilles on the floor. NOTE If your system control has a "Constant ON" feature, you will not always feel warmth, even though air may be blowing. If it isn't, your system won't know to provide heating. Try turning the fan to ON using the fan switch on the control or thermostat to test for power to the furnace. If you have oneinchthick furnace filters, a onceamonth change is recommended. If you don't change it, the filter will block the proper airflow and strain your furnace. Return air grilles are larger and are located on a wall or the ceiling in newer homes. Older homes frequently have return air grilles on the floor.<http://doingbusinessinargentina.com/userfiles/bose-360p-manual.xml>

- **carrier comfort 92 gas furnace manual, carrier comfort 92 gas furnace manual pdf, carrier comfort 92 gas furnace manual download, carrier comfort 92 gas furnace manual diagram, carrier comfort 92 gas furnace manual parts, carrier comfort 92 gas furnace manual review, carrier comfort 92 gas furnace manual free, carrier comfort 92 gas furnace manual for sale, carrier comfort 92 gas furnace manual 1.**

NOTE If your system control has a "Constant ON" feature, you will not always feel warmth, even though air may be blowing. Verify that the circuit breakers are ON or that fuses have not blown. If you must reset breakers or replace fuses, do so only once. Contact your Carrier expert for assistance if the breakers trip or the fuses blow a second time. Check air filters for accumulations of large particles. Check for blocked exhaust air grilles or ductwork. Keep grilles and ductwork open and unobstructed. Defrost time could be five to 20 minutes, depending on temperature and settings. With this information, the dealer will be able to correct any problems. Make sure that the condensate drain tube has a slight slope and is not kinked. Provide your model and serial number. With this information, the dealer will be able to correct any problems. Water likely means the support base has shifted since installation and is no longer level. Soak the core in warm water and mild soap for three hours and then rinse under warm not hot water. Use a vacuum cleaner to remove accumulated dust and then handwash in warm water. Filter life varies from home to home and is based on several factors, but most last from eight to 12 months. If your geothermal unit is connected to well water instead of a closed loop, we recommend the heat exchanger inside the unit be cleaned periodically to prevent the buildup of minerals that can reduce system performance. Condensation drains harmlessly away to reduce rehumidification by up to 10%. Warranty period is 5 years if not registered within 90 days. Jurisdictions where warranty benefits cannot be conditioned on

registration will automatically receive a 10year parts limited warranty. See warranty certificate for complete details. Warranty period is reduced to 20years from Lifetime on heat exchanger if not registered within 90 days.<http://www.muhong.cn/fckeditor/editor/filemanager/connectors/php/fckeditor/upload/202008/bose-401-speaker-manual.xml>

Jurisdictions where warranty benefits cannot be conditioned on registration will automatically receive the extended registered heat exchanger parts limited warranty period. See warranty certificate for details. If you are looking for oil furnace, you can read our Carrier Oil Furnace Buying Guide. Before you dive into the specific brand review, we highly recommend you to read our elaborate Gas Furnace Buying Guide in advance. There are several crucial steps you need to take before you even start to think about the brand. Carrier gas furnace is one of PICKHVAC recommendations which is ranked up there with the Trane, Coleman, and Amana. They are twice expensive when compared to other brands like Goodman, Heil and Rheem. Carrier furnace is famous for being reliable and durable. It is a good option if you plan to live in the same house for the next ten years or more. They have one of the best warranties in the market. The Carrier Infinity Series come up with warranties on parts and a lifetime warranty on the body exchanger. Now let's check the content table of this article Content Navigation Carrier's Features Model Analysis and Recommendations Contractor Reviews For Carrier Carrier Gas Furnace Prices By Model Carrier Furnace Prices By Size Submitted Prices By Visitors How to Get the Best Carrier Gas Furnace Prices. Carrier's Features Greenspeed Efficiency Optimization Carrier Greenspeed intelligence was introduced in 2011 on the Carrier Infinity heat pump, and it changed the industry. The heart of Greenspeed technology is a modulating compressor, also called a variablespeed compressor. Rather than run at just one singlestage or two twostage levels, the compressor speeds up and slows down in small increments between 40 percent to 100 percent capacity. The result is precise heating and air conditioning that optimizes energy efficiency and indoor climate control.

Additional benefits of Carrier Greenspeed intelligence are Quieter cycles Balanced indoor temperatures throughout the home More dehumidification during air conditioning cycles Improved performance of air purifiers and humidifiers that are part of the HVAC system Communication Features to Hook up a Smart Phone Only for Infinity Series This is designed for diagnostic tuning and troubleshooting while the basic models do not have this function. We believe this is bells and whistles for the gas furnace, not very practical for homeowners. Note Carrier communicating thermostat is proprietary which means if something goes wrong you can't buy it at the local hardware store. If there is no stock of your corresponding parts, you have to wait 13 weeks for the part to be shipped from parts center. Carrier's Ideal Humidity System Most of the Carrier gas furnace brands have the Ideal Humidity system. The system adjusts the humidity in the house along with the temperature depending on the season. This system comes into play during the hot seasons aiding the air conditioner in keeping the house cool. Comfort Heat Technology unique The Comfort heat technology is an intelligently fixed feature with heating cycles. The heating cycles help reduce temperature swings in the house. They help improve the efficiency of the gas furnace and make the house more comfortable. Model Analysis and Recommendations Series Model AFUE Blower Speed Stage INFINITY 98 59MN7 98.5 Variable Modulating INFINITY 96 59TN6 96.7 Variable 2 INFINITY 80 58CVA 80 Variable 2 PERFORMANCE 96 59TP6 96.7 Variable 2 PERFORMANCE 90 59SP5 96.5 4 1 PERFORMANCE 90 59SP2 92.1 4 1 PERFORMANCE 80 58CTW 80 Variable 1 PERFORMANCE 80 58PHA 80 4 1 PERFORMANCE 80 58PHB 80 4 1 COMFORT 95 59SC5 80 1 1 COMFORT 92 59SC2 80 1 1 COMFORT 80 58DLA 80 1 1 COMFORT 80 58STA 80 1 1 INFINITY series is the high end of all the product line with all the bells and whistles.

We always advise homeowners not forget to buy extended labor warranty for highestend models. In most cases, the labor fee for the cuttingedge model will be more than you can imagine. What is the

most cost-effective model For Carrier furnace. When you're looking for the most cost-effective heating, the strategy is to find the balance between furnace cost and energy costs. They had used inferior materials to manufacture critical parts like the condensing heat that could not last the expected lifespan of 20 years. All carrier furnaces manufactured after 2008 were not part of this lawsuit. Contractor Reviews For Carrier The carrier gas furnaces rank with the very best and offer a range of efficiencies and capacities. The carrier just like other brands will only service units they have installed. They also sell service parts to technicians who work for them. This simply means you will pay more for future repairs and servicing. Regular repair guys will charge you less the repair guys from the company. Related Article In-depth Comparison Trane vs Carrier vs Lennox Furnace Review Carrier Gas Furnace Prices By Model We need to set an equal baseline before we can list the prices for each Carrier model. In this list, each furnace includes the same parameters 70,000 BTU with 1000 CFM blower which is proper for a mid-sized home of around 2,000 square feet, 10 year warranty excludes labor fee. The Unit Only price is the online wholesale price without shipping fee. The Unit Installation Cost include gas furnace unit, all the material for the house and labor fee. Check our Carrier Air Conditioner Prices and Installation Cost for more info Carrier Furnace Prices By Size The cost list below is from an average baseline 95% AFUE Carrier Performance Series, No New Ductwork, 10-year warranty and average labor fee. It, unfortunately, hasn't been as efficient and didn't come any close to my expectations.

Its warranty is not comprehensive at all has made me incur a lot of costs from the constant repairs of some parts. It also stops working during winter. Not efficient at all yet expensive. The installing technician should have a good understanding of the machines parts and their functionality. This will minimize future malfunctions that may arise. Otherwise, my Carrier Infinity 80 has never had any issues for the time I have used it. It has a high efficiency. Since then I have never faced any negative issue arising from its functionality. It also has reduced our rate of consuming gas and electricity which altogether have surpassed its purchasing cost. We had to find a quick alternative since winter was nearing. I chose to go for the career performance boost 80 58CTA. So far it has been quite efficient. It serves the entire house despite being quite big because of different parts of the equipment which cover different rooms separately. I do not regret the amount of money spent on the furnace which I was reluctant to do at first. We have been following all the instructions as stated in the manual and advice by the technician. We have the filters changed as frequently as possible. Despite changing the motors the machine collapsed. I contacted their customer who however didn't seem concerned because the warranty period was expired. It was really evident I needed to research about the best equipment. I decided to go for carrier comfort 80. I never regret this decision. The heating bills aren't as high as I expected them to be which in turn increased my savings. I am yet to do any repairs on this model, and I don't expect to do any repairs soon. If I am to buy again, I will, of course, buy Goodman again although the prices are a bit high How to Get the Best Carrier Gas Furnace Prices. Firstly, keep in mind that installation quality is always the most important thing for gas furnace project. So never sacrifice contractor quality for lower price.

Secondly, remember to look up the latest tax credit and rebates. Thirdly, ask for at least 3 bids before you make the decision. You can click here to get 3 free estimates for your local contractor, and this estimate already takes rebates and tax credit into consideration and filter unqualified contractors automatically. Lastly, once you chose the right contractor, remember to use the tactics from this guide homeowners tactics when negotiating with HVAC dealer to get the final best price. Feel free to ask any question by leaving a comment, we will answer any question with actionable tips. It really helps other visitors to estimate the cost of a new HVAC unit. How Does a Pellet Stove Work. How Does a Furnace Work. How do You Troubleshoot a Pellet Stove. We may or may not be compensated for purchased you make as a result of our recommendation. This will NEVER affect our opinion of a product or service. PickHVAC is also a participant in the Amazon Services LLC Associates Program, an affiliate advertising program designed to provide a means for sites to earn

advertising fees by advertising and linking to amazon.com. Product Data Allows More Applications...With the exception of the 140 size unit, The 140 size can This versatile unit utilizes Power Take a look at the control center on The status indicator on the control signals when a fault has occurred and High efficiency is achieved by maximizing heat transfer. The result is Efficiency AFUE, and reduced operational noise. A unique feature of this unit is the Carrier heat Lifetime Warranty. See Warranties When we put it all together, the Blower speeds As with other Carrier furnaces, this This unique Carrier's tradition of technology Media Filter Cabinet — Enhanced indoor air quality in your home is made When installed as a part of your Control Center — Microprocessor Microprocessor blower control times blower Warranties — Limited Lifetime. Warranty on the heat exchangers for the Limited Warranty on entire unit.

Contact Direct or Nondirect Venting — The. This provides added flexibility to Insulated Blower Compartment — The Combustion Products Venting —. The combustion air and vent pipes can Insulation — Foil faced insulation in Bottom Closure — Factory installed for Filter — Cleanable filter with retainer is Blower Access Panel Switch — Shuts Casing — One piece, seamless Adjustable Blower Speed — For Monoport Burners — The burners are Slow Opening Redundant Gas Valve Model units are CSA A.G.A. and. C.G.A. design certified for use with The furnace is California Air Quality Management. District emission requirements. Except Heavy duty blower circulates air across the heat Air filter and retainer may be used for side or Rollout switch manual reset to prevent Primary serpentine heat exchanger inside. Stretches fuel dollars with the S shaped heat flow Code lights are for diagnosing furnace operation Direct Vent 2 pipe and Non Direct Vent Input Rates Series. Media Filter Cabinet included Corporation has Physical data Selectable 90, 120, 150, or 180 Sec. BURNERS Monoport White Rodgers. Minimum Inlet Pressure In. w Maximum Inlet Pressure In. w RPM Nominal — SPEEDS. BLOWER WHEEL DIAMETER X WIDTH In.. FILTER SIZE In. — Washable PSC — Permanent Split Capacitor CONCENTRIC TERMINATION KIT Single Exit Thermostat and zoning control options. Non Programmable Thermostat Selection For use with 1 spd. Air Conditioner deg. For use with 2 spd. Air Conditioner deg. For use with multistage applications deg. Zoning Control Selection One pipe runs inside the other The base is designed to be installed between the furnace and a The Carrier Cased N Coil or Saves decorating and cleaning Carrier thermostats maintain a Carrier's energy or heat recovery Especially useful for today's For the ultimate in home comfort, Carrier's 2, 4, and 8 zone Energy recovery ventilator is NOTES 1. Minimum return air openings at furnace, based on metal duct. If flex duct is used, The use of both side inlets, a DOWNFLOW SUBBASE — DIMENSIONS In.

Assembly or Coil Box Assembly or Coil Box Assembly or Coil Box Disassembled Instructions when venting multiple furnaces near each other. Opening. B Opening Furnace Side. Centerline Screw Slots. Media. Filter Cabinet IMPORTANTS sur le support dans le manuel d'installation. KGASB0201ALL, Coil. Assembly, Part No. CD5 or CK5, or Coil Casing, Part No. KCAKC. Clearance shown is for air inlet and air outlet ends. Clearance arrows HORIZONTAL installations. See Installation Manual for IMPORTANT unit An accessory kit, supplied by the manufacturer, shall be used to convert to propane gas use or may be required for some natural gas applications. This furnace is for indoor installation in a building constructed on site. This furnace may be installed in a manufactured mobile home when stated on rating plate and using factory This furnace may be installed on combustible flooring in alcove or closet at minimum clearance from combustible material. This appliance requires a special venting system. Refer to the installation instructions for parts list and method of installation. This furnace is for use with schedule 40 PVC, PVC DWV, CPVC, or ABS DWV pipe, and must not be vented in common with other gas fired appliances. Utiliser une trousse de conversion, fournie par le fabricant, pour passer au gaz propane ou pour certaines installations au gaz naturel. Downflow Horizontal Non weatherized ICS. Non weatherized ICS. Upflow Cooling In Canada, derate the unit 5% for elevations 2000 to 4500 ft above sea level. ICS — Isolated Combustion System. EXTERNAL STATIC PRESSURE In. w Med Low. Low. High. Med High. Med Low. Med High.

MedHighMedHigh. MedHighMedHighFor air delivery above 1800 CFM, see Air Delivery table for other options. For horizontal and downflow applications, use 1 side or bottom or bottom only as airflow reference.

#### Maximum Allowable Pipe Length

ftConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricM  
aximum Allowable Pipe Length ft

ContinuedConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricCo  
ncentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConc  
entricMaximum Allowable Pipe Length ft

ContinuedConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricCo  
ncentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConcentricConc  
entricWhen using shouldered  
disk half, install screen side toward inlet box. NANot Allowed; pressure switch will not make.Wide  
radius elbows are desirable and may be required in some cases.CoolingTypical wiring  
schematicComfort 92Quality Assurance. Unit will be designed, tested and constructed to the  
currentUnit will be 3rd party certified by CSA to the current ANSI Z. Unit efficiency testing will be  
performed per the current DOEUnit will be certified for capacity and efficiency and listed in  
theRatings. Unit will carry the current Federal Trade Commission Energy. Guide efficiency label.  
Delivery, Storage, and Handling. Unit will be shipped as single package only and is stored  
andWarranty for inclusion by specifying engineer. U.S. and Canada only. Warranty certificate  
available upon request.Components shall include slowopening gas valve to reduce ignition noise,  
regulate gas flow, with electric switch gas shutoff;Blower Wheel and Blower Motor. Galvanized  
blower wheel shall be centrifugal type, staticallyBlower motor of PSC type shall beBlower motor  
shall be softFilters. Furnace shall have reusable type filters. Casing. Casing shall be of.030 in.  
thickness minimum, prepainted galvanized steel. Inducer Motor. Inducer motor shall be soft  
mounted to reduce vibration transmission. Primary Heat Exchangers.

Primary Heat exchangers shall be 3Pass 20 gauge corrosion resistant aluminized steel of  
foldandcrimp sectional design,Secondary Heat Exchangers. Secondary Heat exchangers shall be of a  
flowthrough designControls. Controls shall include a microprocessor based integrated electronic  
control board with at least 11 service troubleshootingOperating Characteristics. Heating.  
CapacityFuel Gas Efficiency shall be 93% AFUE.Electrical Requirements. Electrical supply shall be  
115 volts, 60 Hz, singlephase nominal.Special Features. Refer to section of the product data sheet  
identifying accessoriesPrinted in U.S.A. Manufacturer reserves the right to change, at any time,  
specifications or designs without notice and obligations. Catalog No 58MXB1PD Rev. A. Replaces  
58MXB1PD. We have no relationship with advertisers, products, or services discussed at this  
website. We also provide links to the manufacturers current model lists and literature. Inactive  
brand. Since 1998 Intertherm Boilers or HVAC sold under WhiteWestinghouse brands Frigidaire,  
Gibson, Kelvinator, Philco, Tappan and as OEM for ThermalZone. JANDY LAARS HEATERS see  
TELEDYNE LAARS MANUALS also see LAARS BOILERS also see TELEDYNE LAARS MANUALS  
Also see Luxaire. But HVAC manuals can be hard to find, or expensive, even though the  
manufacturers will usually gladly give a copy to a consumer or service technician who needs one.  
Well we can hear humming and was wondering if you have a manual to this unit Thanks! We can be  
reached at 845 856 0381 Thanks! The companys products include rooftop units and split systems.  
Guelph, ON N1H 6H9, Canada. Phone 519 8242911. Web www.aitons.comComfortAire by Aitons is a  
leading supplier of heating, cooling and dehumidification equipment to the HVAC market. You might  
give them a call. In 1970 became Singer American Furnace. Tyler, TX 75707 The serial number, not  
the model number, will give the equipments date of manufacture.

The serial number is given on the Ameristar equipment data tag, typically below the largerfont

Model Number. In 1999, ICP was in turn acquired by United Technologies, the parent of Carrier Corporation. see CARRIER Air Conditioners, Boilers Furnaces The company also provides geothermal systems. Regrettably the companys website does not provide downloadable manuals, product specification sheets or other details. The website gives no contact information for the company except for this contact address regarding the companys privacy information policy Other models include the Axeman Anderson Centaurus heat and domestic hot water and the OHM outside heating boiler. It has 24 Vac thermostatIt can also provideAntioch, CA 94509 USA, Tel Bond Garden. Stanley. Bloom. Bond Furniture. Bond Fountains. MiracleGro. Island Lights I think its a 1963 or 1964 furnace,it was in the house when i bought It and the house was build in 1964 and there is no signs or paper work that it was replaced at anytime, just paper work on when it was tuned up or serviced. IN other words the decision on economy needs to include the heating load. Evcon purchased by York International. Active brand Coleman Evcon. Current Columbia boiler models include the Columbia Emerald Series boilers shown here, Wet Base Boilers, LV Low Mass boilers, Casco Bay Boilers, and a series of cast iron boilers sold across Maryland, Virginia, and Washington D.C. According to the companys website Louis, MO and Halton Hills, Ontario, Canada. The MARS Equipment Division operates out of Jackson, Michigan. One model no. is OIU112DH serial no. ED114 m49844274. and then there is a tag that says underwriters lab oil furnace no. V744 535 Cranes furnace technology was purchased by Amana. Airconditioning and airpurifying conform to the regulations of the relevant authorities, ensuring that the crane driver enjoys optimal work conditions. Additionally, the sensitive power and control systems are cooled so that they function reliably.

The devices, which have been put to the test worldwide, are available in many installation variations and with various output stages. The series of crane cooling devices AC devices T and crane cabin cooling devices operator cooler OC cover a wide range of types. Website [www.cranegtair.com](http://www.cranegtair.com) Tel 5136414700 It has been leaking, I think a pipe bursted in it last winter, I cannot find the manufacturer. My question is how do you take off the cover, are there screws or do you have to pry it off the wall They may be painted over or behind a removable cover. I have a serial number but I need a rating plate number for insurance purposes and the numbers are no longer legable.The CWF is more likely a model number. Just look at the brand name history given below. You will find help with estimating BTU output of wood fired heaters and furnaces at a variety of wood heat organizations. Look at this example Olsens product line originated in the 1940s. Olsens combination heater line was purchased by DMO Inustries previously known as DuomaticOlsen, then as Olsen Technology. Those were sold in 2001 to ECR International formed in 1999 who now owns Olsen, Airco as well as the Oneida Royal furnace brands, Utica and Dunkirk boilers as well as Enviromaster International central air conditioners. Website Brands under Daikin include the following AAF International International Building 9920 Corporate Campus Drive Suite 2200 Louisville, KY 402235000, U.S.A. American Air Filter Co.Sherbrooke, Quebec Canada Website Tel Throughout the years, Dettson Industries has evolved from being a major manufacturer of heating appliances to the development of sustainable space conditioning solutions. Going forward, the development of finer controls coupled with a growing knowledge of thermodynamic applications will offer residential competitive systems with increased comfort.

It will allow Dettson Industries to become the key manufacturer of the HVAC Heating, Ventilation, Air conditioning industry in North America, or even the emerging large dwarf.. October 5th 2010, Ouellet Group, which is headquartered in L'Islet, Quebec, had acquired Dettson Industries Inc. Garfield Heights, OH 44125. Phone 2166621600. Fax 2165876807. Website [www.dornbackfurnace.com](http://www.dornbackfurnace.com) Searching under the companys website for support will provide access to installation manuals for both current and outofproduction models. Nashville, TN 37013 USA Website [www.energylogic.com](http://www.energylogic.com). Tel 615 4715290 Mr. Hankey is a past chairman of the ASHI Technical Committee and the ASHI Standards Committee. Mr. Hankey serves as cochairman of ASHI

legislative committee, and has served in other ASHI professional and leadership roles. Alan Carson is a past president of ASHI, the American Society of Home Inspectors. Carson Dunlop Associates provides extensive home inspection education and report writing material. The text is intended as a reference guide to help building owners operate and maintain their home effectively. Field inspection worksheets are included at the back of the volume. Special Offer For a 10% discount on any number of copies of the Home Reference Book purchased as a single order. InspectAPedia.com editor Daniel Friedman is a contributing author. Or choose the The HOME REFERENCE eBook for PCs, Macs, Kindle, iPad, iPhone, or Android Smart Phones. Special Offer For a 5% discount on any number of copies of the Home Reference eBook purchased as a single order. Change Purolator 2inch thick, highcapacity pleated filters every other month. Warning Carrier recommends you do not perform additional troubleshooting steps you are unfamiliar with. Contact a qualified appliance technician if your heater is still not working. Carrier heaters vary in style, design and efficiency. Like all appliances, they may experience troubles from time to time; the causes vary.

However, a few troubleshooting steps can help you solve common problems. If your heater is not working properly, inspect it and troubleshoot before rushing to call an appliance technician. Bringing it back to optimum performance will ensure it performs optimally during those cold days and nights when you need it most. Set the temperature on the thermostat above the indoor temperature. Setting the temperature at least 70 degrees and higher is ideal. Make sure the unit is getting power. Inspect the fan. Press the fan switch on the thermostat to turn it on. If the fan is dirty, vacuum it to remove damaging particles. Check the SSU switch on your heater if the device is still not producing adequate heat. The switch looks like a light switch on a gray box located at the furnace. Change the furnace filter. How to change the furnace filter varies with different Carrier heaters, so refer to your units manual. You can purchase a filter from an appliance, hardware or retail store if you have your units model number. Inspect the return air grilles. If they are dirty, vacuum them to remove dirt, lint, cobwebs and debris. Make sure furniture is not in the way of the return air grilles. Inspect the supply air registers and make sure they are open and blowing air. References Carrier Support Troubleshooting Guide About the Author Kefa Olang has been writing articles online since April 2009. Related How to Troubleshoot Central Heat How to Check Out a Furnace Before the Heating Season What to Look For When a Luxaire Furnace Is Not Working How to Choose a Furnace Humidifier Help for When a Central Air Conditioning Unit Quits Working What Is an HVAC Vent Limit Switch. Contact us for more info today!. Comfort Furnace Manual from facebook. This Comfort 92 gas furnace 59SC2 provides affordable and dependable operation for optimal home heat and comfort. This is a COMPLETE Service Repair Manual for the pure solvent or. International Comfort Products Gas Furnace Technical Support Manual.